

# Safety Data Sheet

## A750 EPX CLEAR

Revision date : 2010/03/16  
Version: 1.0

Page: 1/6  
(30367333/SDS\_GEN\_US/EN)

---

### 1. Product and Company Identification

Company  
BASF CORPORATION  
100 Campus Drive  
Florham Park, NJ 07932, USA

24 Hour Emergency Response Information  
CHEMTREC: 1-800-424-9300  
BASF HOTLINE: 1-800-832-HELP

---

### 2. Hazards Identification

#### Emergency overview

WARNING:  
MAY CAUSE ALLERGIC SKIN REACTION.  
MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION.  
Prolonged or repeated skin contact may cause sensitization or allergic reactions.  
Avoid contact with the skin, eyes and clothing.  
Keep container tightly closed.  
Wash thoroughly after handling.

State of matter: liquid  
Colour: light yellow  
Odour: mild

#### Potential health effects

##### **Primary routes of exposure:**

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

##### **Acute toxicity:**

Ingestion may cause gastrointestinal disturbances.

##### **Irritation / corrosion:**

May cause slight irritation to the eyes. May cause slight irritation to the skin. May cause slight irritation to the respiratory tract. The product has not been tested. The statement has been derived from the properties of the individual components.

##### **Sensitization:**

May produce an allergic reaction.

#### Potential environmental effects

##### **Aquatic toxicity:**

At the present state of knowledge, no negative ecological effects are expected. There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statement has been derived from products of a similar structure and composition.

# Safety Data Sheet

## A750 EPX CLEAR

Revision date : 2010/03/16  
Version: 1.0

Page: 2/6  
(30367333/SDS\_GEN\_US/EN)

### 3. Composition / Information on Ingredients

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
25068-38-6	>= 0.0 - <= 100.0 %	bisphenol A-epichlorohydrin resin
25085-99-8	>= 0.0 - <= 100.0 %	Oxirane, 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis-, homopolymer
112-62-9	>= 3.0 - <= 7.0 %	methyl oleate
68609-97-2	>= 1.0 - <= 5.0 %	Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.
28961-43-5	>= 1.0 - <= 5.0 %	Propylidynetrimethanol, ethoxylated, esters with acrylic acid
64742-47-8	>= 0.1 - <= 1.0 %	Distillates (petroleum), hydrotreated light

### 4. First-Aid Measures

**General advice:**

First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.

**If inhaled:**

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

**If on skin:**

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

**If in eyes:**

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

**If swallowed:**

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

### 5. Fire-Fighting Measures

Flash point:	93.34 °C	
Lower explosion limit:		No data available.
Upper explosion limit:		No data available.

**Suitable extinguishing media:**

foam, water spray, dry extinguishing media, carbon dioxide

**Unsuitable extinguishing media for safety reasons:**

water jet

**Protective equipment for fire-fighting:**

Wear a self-contained breathing apparatus.

### 6. Accidental release measures

**Environmental precautions:**

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

# Safety Data Sheet

## A750 EPX CLEAR

Revision date : 2010/03/16  
Version: 1.0

Page: 3/6  
(30367333/SDS\_GEN\_US/EN)

### **Cleanup:**

For small amounts: Pick up with inert absorbent material (e.g. sand, earth etc.). Dispose of contaminated material as prescribed.

For large amounts: Pump off product.

---

## 7. Handling and Storage

### **Handling**

#### **General advice:**

Avoid aerosol formation. Avoid inhalation of mists/vapours. Avoid skin contact. No special measures necessary provided product is used correctly.

### **Storage**

#### **General advice:**

Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.

---

## 8. Exposure Controls and Personal Protection

### **Components with workplace control parameters**

Distillates (petroleum),  
hydrotreated light

ACGIH

TWA value 200 mg/m3 Non-aerosol (total hydrocarbon vapor);

Application restricted to conditions in which there are negligible aerosol exposures.

Skin Designation Non-aerosol (total hydrocarbon vapor);

The substance can be absorbed through the skin.

### **Personal protective equipment**

#### **Respiratory protection:**

Wear appropriate certified respirator when exposure limits may be exceeded.

#### **Hand protection:**

Wear chemical resistant protective gloves., Manufacturer's directions for use should be observed because of great diversity of types.

#### **Eye protection:**

Safety glasses with side-shields.

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

#### **General safety and hygiene measures:**

Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

---

## 9. Physical and Chemical Properties

Form:

liquid

Odour:

mild

Colour:

light yellow

pH value:

not applicable

# Safety Data Sheet

## A750 EPX CLEAR

Revision date : 2010/03/16  
Version: 1.0

Page: 4/6  
(30367333/SDS\_GEN\_US/EN)

Boiling point:	204.01 °C	
Vapour pressure:		No data available.
Density:	1.14 g/cm <sup>3</sup>	( 20 °C)
Vapour density:		Heavier than air.
Partitioning coefficient n-octanol/water (log Pow):		No data available.
Viscosity, dynamic:		No data available.
Solubility in water:		not available

### 10. Stability and Reactivity

**Substances to avoid:**

strong acids, strong bases, strong oxidizing agents

**Hazardous reactions:**

The product is stable if stored and handled as prescribed/indicated.

**Decomposition products:**

carbon oxides, nitrogen oxides

**Oxidizing properties:**

Based on its structural properties the product is not classified as oxidizing.

### 11. Toxicological information

**Irritation / corrosion**

*Information on: Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.*

*Assessment of irritating effects:*

*Skin contact causes slight irritation.*

*Information on: Propylidynetrimehanol, ethoxylated, esters with acrylic acid*

*Assessment of irritating effects:*

*Not irritating to the skin. May cause severe damage to the eyes.*

*Information on: methyl oleate*

*Assessment of irritating effects:*

*Eye contact causes irritation. Skin contact causes irritation. The product has not been tested. The statement has been derived from products of a similar structure and composition.*

**Sensitization**

*Information on: bisphenol A-epichlorohydrin resin*

*Assessment of sensitization:*

*Sensitization after skin contact possible.*

*Information on: Oxirane, 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis-, homopolymer*

*Assessment of sensitization:*

*May cause sensitization by skin contact.*

*Information on: Propylidynetrimehanol, ethoxylated, esters with acrylic acid*

*Assessment of sensitization:*

*Sensitization after skin contact possible.*

Can sensitize the skin and/or respiratory tract of allergic persons.

**Other Information:**

# Safety Data Sheet

## A750 EPX CLEAR

Revision date : 2010/03/16  
Version: 1.0

Page: 5/6  
(30367333/SDS\_GEN\_US/EN)

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statements on toxicology have been derived from products of a similar structure and composition.

### 12. Ecological Information

**Other adverse effects:**

Ecological data are not available. Do not allow to enter soil, waterways or waste water channels.

### 13. Disposal considerations

**Waste disposal of substance:**

Dispose of in accordance with national, state and local regulations. Recommendations: Use excess product in an alternate beneficial application.

**Container disposal:**

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

### 14. Transport Information

**Land transport**  
USDOT

Not classified as a dangerous good under transport regulations

**Sea transport**  
IMDG

Not classified as a dangerous good under transport regulations

**Air transport**  
IATA/ICAO

Not classified as a dangerous good under transport regulations

### 15. Regulatory Information

**Federal Regulations**

**Registration status:**

Chemical TSCA, US released / listed

**OSHA hazard category:** No data available.;

**EPCRA 311/312 (Hazard categories):** Acute;

**State regulations**

**State RTK**  
MA

**CAS Number**  
112-62-9

**Chemical name**  
methyl oleate

# Safety Data Sheet

## A750 EPX CLEAR

Revision date : 2010/03/16  
Version: 1.0

Page: 6/6  
(30367333/SDS\_GEN\_US/EN)

### CA Prop. 65:

THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

---

## 16. Other Information

### HMIS III rating

Health: 2<sup>+</sup>      Flammability: 1      Physical hazard: 0

NFPA and HMIS use a numbering scale ranging from 0 to 4 to indicate the degree of hazard. A value of zero means that the substance possesses essentially no hazard; a rating of four indicates extreme danger. Although similar, the two rating systems are intended for different purposes, and use different criteria. The NFPA system was developed to provide an on-the-spot alert to the hazards of a material, and their severity, to emergency responders. The HMIS system was designed to communicate workplace hazard information to employees who handle hazardous chemicals.

BASF supports worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

### Local Contact Information

NTU/R  
bcc\_prps@basf.com

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY BASF HEREUNDER ARE GIVEN GRATIS AND BASF ASSUMES NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.  
END OF DATA SHEET